Berlin Questionnaire (for sleep apnea)

Scoring Berlin questionnaire

Adapted from: Table 2 from Netzer, et al., 1999. (Netzer NC, Stoohs RA, Netzer CM, Clark K, Strohl KP.

Using the Berlin Questionnaire to identify patients at risk for the sleep apnea syndrome. Ann Intern Med. 1999 Oct 5;131(7):485-91).

The questionnaire consists of 3 categories related to the risk of having sleep apnea.

Patients can be classified into High Risk or Low Risk based on their responses to the individual items and their overall scores in the symptom categories.

Categories and scoring:

Category 1: items 1, 2, 3, 4, 5.

Item 1: if 'Yes', assign 1 point

Item 2: if 'c' or 'd' is the response, assign 1 point

Item 3: if 'a' or 'b' is the response, assign 1 point

Item 4: if 'a' is the response, assign 1 point

Item 5: if 'a' or 'b' is the response, assign 2 points

Add points. Category 1 is positive if the total score is 2 or more points

Category 2: items 6, 7, 8 (item 9 should be noted separately).

Item 6: if 'a' or 'b' is the response, assign 1 point

Item 7: if 'a' or 'b' is the response, assign 1 point

Item 8: if 'a' is the response, assign 1 point

Add points. Category 2 is positive if the total score is 2 or more points Category 3 is positive if the answer to item 10 is 'Yes' OR if the BMI of the patient is greater than 30kg/m₂.

(BMI must be calculated. BMI is defined as weight (kg) divided by height (m) squared, i.e., kg/m₂).

High Risk: if there are 2 or more Categories where the score is positive

Low Risk: if there is only 1 or no Categories where the score is positive

Additional question: item 9 should be noted separately.

BERLIN QUESTIONNAIRE				
Height (m)	Weight (kg)	Age	Male / Female	
Please choose the correct response to each question.				
			CATEGORY 2	
CATEGORY 1			6. How often do you feel tired or	
1. Do you snore?			fatigued after your sleep?	
_a. Yes			_ a. Nearly every day	
_ b. No			_ b. 3-4 times a week	
_ c. Don't know			_ c. 1-2 times a week	
			_ d. 1-2 times a month	
If you snore:		_ e. N	_ e. Never or nearly never	
2. Your snoring is				
_ a. Slightly louder than breathing			7. During your waking time, do you	
_ b. As loud as talking			feel tired, fatigued or not up to par?	
_c. Louder than talking			_ a. Nearly every day	
_ d. Very loud – can be heard in adjacent		_	_ b. 3-4 times a week	
rooms			_ c. 1-2 times a week	
			_ d. 1-2 times a month	
3. How often do you snore		_ e. N	_ e. Never or nearly never	
_ a. Nearly every day				
_ b. 3-4 times a week			8. Have you ever nodded off or fallen	
_ c. 1-2 times a week			asleep while driving a vehicle?	
_ d. 1-2 times a month			_a. Yes	
_ e. Never or nearly never		_ b. N	No	
4. Has your snoring ever bothered		If yes	::	
other people?			9. How often does this occur?	
_a. Yes		a. N	_ a. Nearly every day	
_ b. No			b. 3-4 times a week	
_ c. Don't Know		_	c. 1-2 times a week	
5. Has anyone noticed that you quit		_ d. 1	_ d. 1-2 times a month	
breathing during your sleep?			_e. Never or nearly never	
_ a. Nearly every day		Саті	CATEGORY 3	
_ b. 3-4 times a week		10. D	Oo you have high blood pressure?	

_Yes _No

_ Don't know

_ c. 1-2 times a week

_ d. 1-2 times a month _ e. Never or nearly never